



# Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations  
Revision Date: 07/31/2015 Date of issue: 07/31/2015 Supersedes Date: 06/28/2010

Version: 1.0

### SECTION 1: IDENTIFICATION

#### Product Identifier

**Product Form:** Mixture

**Product Name:** Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™

#### Intended Use of the Product

Pet odor and stain removal

#### Name, Address, and Telephone of the Responsible Party

##### **Company**

Church & Dwight  
500 Charles Ewing Blvd  
Ewing Township, NJ 08628  
T 1-800-524-1328

[www.churchdwight.com](http://www.churchdwight.com)

#### Emergency Telephone Number

**Emergency Number** : For Medical Emergency: 1-888-234-1828, For Chemical Emergency: 1-800-424-9300 (CHEMTREC)

### SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

#### Classification of the Substance or Mixture

##### **Classification (GHS-US)**

Aquatic Acute 3 H402

Full text of H-phrases: see section 16

#### Label Elements

##### **GHS-US Labeling**

**Hazard Statements (GHS-US)** : H402 - Harmful to aquatic life.

**Precautionary Statements (GHS-US)** : P273 - Avoid release to the environment.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

#### Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

**Unknown Acute Toxicity (GHS-US)** Not available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Name	Product Identifier	% (w/w)	Classification (GHS-US)
Hydrogen peroxide	(CAS No) 7722-84-1	1 - 5	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Sodium lauryl sulfate	(CAS No) 151-21-3	0.5 - 1.5	Flam. Sol. 2, H228

# Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

			Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Sodium hydroxide	(CAS No) 1310-73-2	< 0.1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

More than one of the ranges of concentration prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition.

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Skin Contact:** Remove contaminated clothing. Gently wash with plenty of soap and water followed by rinsing with water for at least 15 minutes. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

**Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** None expected under normal conditions of use.

**Inhalation:** May cause irritation to the respiratory tract.

**Skin Contact:** May cause skin irritation.

**Eye Contact:** May cause eye irritation.

**Ingestion:** If a large quantity has been ingested : May cause gastrointestinal irritation.

**Chronic Symptoms:** None expected under normal conditions of use.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** For surrounding fire. Use of heavy stream of water may spread fire.

### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

**Firefighting Instructions:** Exercise caution when fighting any chemical fire.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Sodium oxides. Sulfur oxides.

### Reference to Other Sections

Refer to section 9 for flammability properties.

# Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

#### Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

#### Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage.

#### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection. For further information refer to section 13.

### SECTION 7: HANDLING AND STORAGE

#### Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

#### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Ensure all national/local regulations are observed.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Store away from incompatible materials.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Ammonia.

#### Specific End Use(s)

Pet odor and stain removal

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

<b>Hydrogen peroxide (7722-84-1)</b>		
<b>Mexico</b>	OEL TWA (mg/m <sup>3</sup> )	1.5 mg/m <sup>3</sup>
<b>Mexico</b>	OEL TWA (ppm)	1 ppm
<b>Mexico</b>	OEL STEL (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
<b>Mexico</b>	OEL STEL (ppm)	2 ppm
<b>USA ACGIH</b>	ACGIH TWA (ppm)	1 ppm
<b>USA ACGIH</b>	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
<b>USA OSHA</b>	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1.4 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (TWA) (ppm)	1 ppm
<b>USA NIOSH</b>	NIOSH REL (TWA) (mg/m <sup>3</sup> )	1.4 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (TWA) (ppm)	1 ppm
<b>USA IDLH</b>	US IDLH (ppm)	75 ppm
<b>Alberta</b>	OEL TWA (mg/m <sup>3</sup> )	1.4 mg/m <sup>3</sup>
<b>Alberta</b>	OEL TWA (ppm)	1 ppm
<b>British Columbia</b>	OEL TWA (ppm)	1 ppm
<b>Manitoba</b>	OEL TWA (ppm)	1 ppm
<b>New Brunswick</b>	OEL TWA (mg/m <sup>3</sup> )	1.4 mg/m <sup>3</sup>
<b>New Brunswick</b>	OEL TWA (ppm)	1 ppm

# Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

<b>Newfoundland &amp; Labrador</b>	OEL TWA (ppm)	1 ppm
<b>Nova Scotia</b>	OEL TWA (ppm)	1 ppm
<b>Nunavut</b>	OEL STEL (mg/m <sup>3</sup> )	2.8 mg/m <sup>3</sup>
<b>Nunavut</b>	OEL STEL (ppm)	2 ppm
<b>Nunavut</b>	OEL TWA (mg/m <sup>3</sup> )	1.4 mg/m <sup>3</sup>
<b>Nunavut</b>	OEL TWA (ppm)	1 ppm
<b>Northwest Territories</b>	OEL STEL (mg/m <sup>3</sup> )	2.8 mg/m <sup>3</sup>
<b>Northwest Territories</b>	OEL STEL (ppm)	2 ppm
<b>Northwest Territories</b>	OEL TWA (mg/m <sup>3</sup> )	1.4 mg/m <sup>3</sup>
<b>Northwest Territories</b>	OEL TWA (ppm)	1 ppm
<b>Ontario</b>	OEL TWA (ppm)	1 ppm
<b>Prince Edward Island</b>	OEL TWA (ppm)	1 ppm
<b>Québec</b>	VEMP (mg/m <sup>3</sup> )	1.4 mg/m <sup>3</sup>
<b>Québec</b>	VEMP (ppm)	1 ppm
<b>Saskatchewan</b>	OEL STEL (ppm)	2 ppm
<b>Saskatchewan</b>	OEL TWA (ppm)	1 ppm
<b>Yukon</b>	OEL STEL (mg/m <sup>3</sup> )	2.8 mg/m <sup>3</sup>
<b>Yukon</b>	OEL STEL (ppm)	2 ppm
<b>Yukon</b>	OEL TWA (mg/m <sup>3</sup> )	1.5 mg/m <sup>3</sup>
<b>Yukon</b>	OEL TWA (ppm)	1 ppm
<b>Sodium hydroxide (1310-73-2)</b>		
<b>Mexico</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>USA ACGIH</b>	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>USA IDLH</b>	US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>Alberta</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>British Columbia</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Manitoba</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>New Brunswick</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Newfoundland &amp; Labrador</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Nova Scotia</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Nunavut</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Northwest Territories</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Ontario</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Prince Edward Island</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Québec</b>	PLAFOND (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Saskatchewan</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Yukon</b>	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>

### Exposure Controls

**Appropriate Engineering Controls:** For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** For occupational/workplace settings and bulk quantities: Gloves. Protective goggles. Protective clothing.



**Materials for Protective Clothing:** For occupational/workplace settings: Chemically resistant materials and fabrics.

**Hand Protection:** For occupational/workplace settings: Chemically resistant gloves are recommended, but not required.

# Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Eye Protection:** For occupational/workplace settings: Chemical goggles or safety glasses.

**Skin and Body Protection:** For occupational/workplace settings: Chemical resistant suit.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

**Other Information:** Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Clear to White
Odor	: Cosmetic fragrance
Odor Threshold	: Not available
pH	: 4 - 5.8
Evaporation Rate	: Not available
Melting Point	: Not applicable
Freezing Point	: Not available
Boiling Point	: Not applicable
Flash Point	: Not applicable
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20 °C	: Not available
Relative Density	: Not available
Specific Gravity	: 0.995 - 1.015 @ 20 °C
Solubility	: Complete in water
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available
Explosion Data – Sensitivity to Mechanical Impact	: Not expected to present an explosion hazard due to mechanical impact
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Hazardous reactions will not occur under normal conditions.

**Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Ammonia.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Sodium oxides. Sulfur oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified

**LD50 and LC50 Data:** Not available

**Skin Corrosion/Irritation:** Not classified

**pH:** 4 - 5.8

**Serious Eye Damage/Irritation:** Not classified

**pH:** 4 - 5.8

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not classified

**Carcinogenicity:** Not classified

# Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** May cause irritation to the respiratory tract

**Symptoms/Injuries After Skin Contact:** May cause skin irritation

**Symptoms/Injuries After Eye Contact:** May cause eye irritation

**Symptoms/Injuries After Ingestion:** If a large quantity has been ingested : May cause gastrointestinal irritation

**Chronic Symptoms:** None expected under normal conditions of use

### **Information on Toxicological Effects - Ingredient(s)**

#### **LD50 and LC50 Data:**

<b>Hydrogen peroxide (7722-84-1)</b>	
LD50 Oral Rat	1193 mg/kg (Species: Sprague-Dawley; Exposure time: 4 h)
LD50 Dermal Rat	4060 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
ATE US (gases)	4,500.00 ppmV/4h
ATE US (vapors)	11.00 mg/l/4h
ATE US (dust, mist)	1.50 mg/l/4h
<b>Sodium lauryl sulfate (151-21-3)</b>	
LD50 Oral Rat	1288 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
LD50 Dermal Rabbit	580 mg/kg
LC50 Inhalation Rat	> 3900 mg/m <sup>3</sup> (Exposure time: 1 h)
ATE US (dust, mist)	1.50 mg/l/4h
<b>Sodium hydroxide (1310-73-2)</b>	
LD50 Dermal Rabbit	1350 mg/kg
<b>Hydrogen peroxide (7722-84-1)</b>	
IARC Group	3

## **SECTION 12: ECOLOGICAL INFORMATION**

### **Toxicity**

**Ecology - General:** Harmful to aquatic life.

<b>Hydrogen peroxide (7722-84-1)</b>	
LC50 Fish 1	16.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	18 - 32 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish 2	18 - 56 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
<b>Sodium lauryl sulfate (151-21-3)</b>	
LC50 Fish 1	8 (8 - 12.5) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	1.8 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	15 (15 - 18.9) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
<b>Sodium hydroxide (1310-73-2)</b>	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	40 mg/l

### **Persistence and Degradability**

<b>Arm &amp; Hammer™ Pet Stain &amp; Odor Eliminator Plus OxiClean™</b>	
Persistence and Degradability	Not established.

### **Bioaccumulative Potential**

<b>Arm &amp; Hammer™ Pet Stain &amp; Odor Eliminator Plus OxiClean™</b>	
Bioaccumulative Potential	Not established.

# Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

<b>Hydrogen peroxide (7722-84-1)</b>	
<b>BCF Fish 1</b>	(no bioaccumulation)
<b>Sodium lauryl sulfate (151-21-3)</b>	
<b>BCF Fish 1</b>	(will not bioconcentrate)
<b>Log POW</b>	1.6

**Mobility in Soil** Not available

### Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Sewage Disposal Recommendations:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

## SECTION 14: TRANSPORT INFORMATION

**In Accordance with DOT** Not regulated for transport

**In Accordance with IMDG** Not regulated for transport

**In Accordance with IATA** Not regulated for transport

**In Accordance with TDG** Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### US Federal and International Regulations

<b>Hydrogen peroxide (7722-84-1)</b>	
Listed on the AICS (Australian Inventory of Chemical Substances)	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory	
Listed on the Korean ECL (Existing Chemicals List)	
Listed on NZIoC (New Zealand Inventory of Chemicals)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Japanese Poisonous and Deleterious Substances Control Law	
Listed on the United States SARA Section 302	
Listed on the Canadian IDL (Ingredient Disclosure List)	
Listed on INSQ (Mexican national Inventory of Chemical Substances)	
Listed on Turkish inventory of chemical	
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	1000 (concentration >52%)
<b>Sodium lauryl sulfate (151-21-3)</b>	
Listed on the AICS (Australian Inventory of Chemical Substances)	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory	
Listed on the Korean ECL (Existing Chemicals List)	
Listed on NZIoC (New Zealand Inventory of Chemicals)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
Listed on INSQ (Mexican national Inventory of Chemical Substances)	
Listed on Turkish inventory of chemical	
<b>Sodium hydroxide (1310-73-2)</b>	
Listed on the AICS (Australian Inventory of Chemical Substances)	

# Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Listed on the Canadian DSL (Domestic Substances List)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Japanese Poisonous and Deleterious Substances Control Law  
Listed on the Canadian IDL (Ingredient Disclosure List)  
Listed on INSQ (Mexican national Inventory of Chemical Substances)  
Listed on Turkish inventory of chemical

<b>SARA Section 311/312 Hazard Classes</b>	Immediate (acute) health hazard
--------------------------------------------	---------------------------------

### US State Regulations

#### **Hydrogen peroxide (7722-84-1)**

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
U.S. - Pennsylvania - RTK (Right to Know) List

#### **Sodium hydroxide (1310-73-2)**

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
U.S. - Pennsylvania - RTK (Right to Know) List

### Canadian Regulations

#### **Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™**

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
----------------------	-----------------------------------------------------------------

#### **Hydrogen peroxide (7722-84-1)**

Listed on the Canadian DSL (Domestic Substances List)  
Listed on the Canadian IDL (Ingredient Disclosure List)

IDL Concentration 1 %

WHMIS Classification	Class C - Oxidizing Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class E - Corrosive Material
----------------------	-----------------------------------------------------------------------------------------------------------------------------------------------

#### **Sodium lauryl sulfate (151-21-3)**

Listed on the Canadian DSL (Domestic Substances List)  
Listed on the Canadian IDL (Ingredient Disclosure List)

IDL Concentration 1 %

WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
----------------------	-------------------------------------------------------------------------------

#### **Sodium hydroxide (1310-73-2)**

Listed on the Canadian DSL (Domestic Substances List)  
Listed on the Canadian IDL (Ingredient Disclosure List)

IDL Concentration 1 %

WHMIS Classification	Class E - Corrosive Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects
----------------------	---------------------------------------------------------------------------------------------------------------

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

## **SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION**

**Revision Date** : 07/31/2015



# Arm & Hammer™ Pet Stain & Odor Eliminator Plus OxiClean™

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

### GHS Full Text Phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Sol. 2	Flammable solids Category 2
Met. Corr. 1	Corrosive to metals Category 1
Ox. Liq. 1	Oxidizing liquids Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H228	Flammable solid
H271	May cause fire or explosion; strong oxidizer
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H332	Harmful if inhaled
H335	May cause respiratory irritation
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

### Party Responsible for the Preparation of This Document

Church & Dwight  
500 Charles Ewing Blvd  
Ewing Township, NJ 08628  
T 1-800-524-1328

*This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.*

Church&Dwight NA GHS SDS