

1. Identification

Product identifier	KLONDIKE Ultra Tac EP-2 Grease	
Other means of identification		
Product code	Ultra Tac EP-2	
Recommended use	Multi-Purpose Grease	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	KLONDIKE Lubricants Corporation	
Address	3078 275th Street Langley, BC V4W 3L4 Canada	
Telephone	General Information	1-877-293-4691
Website	www.klondikelubricants.com	
E-mail	info@klondikelubricants.com	
Emergency phone number	Chemtrec (Within US)	1-800-424-9300
	Chemtrec (International)	1-703-527-3887
Supplier	Refer to Manufacturer	

2. Hazard(s) identification

Physical hazards	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
OSHA defined hazards	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
Label elements		



Signal word	Warning
Hazard statement	Causes skin irritation. Causes serious eye irritation.
Precautionary statement	
Prevention	Wash thoroughly after handling. Wear protective gloves. Wear eye/face protection.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	Other hazards which do not result in classification: May cause respiratory irritation. May cause discomfort if swallowed. Prolonged or repeated overexposure may cause liver and kidney effects.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), Hydrotreated Heavy Naphthenic	HYDROTREATED HEAVY NAPHTHENIC DISTILLATE (PETROLEUM)	64742-52-5	80 - < 90

Chemical name	Common name and synonyms	CAS number	%
Antimony Dithiocarbamate	Antimony, tris(dipentylcarbamodithioato-S,S)-, (oc-6-11)- Tris(dipentylidithiocarbamate-S,S')antimony	15890-25-2	5 - < 10
Distillates (petroleum), Hydrotreated Middle	HYDROTREATED MIDDLE DISTILLATE (PETROLEUM)	64742-46-7	5 - < 10
Lithium Hydroxide	Not Available	1310-66-3	3 - < 5
Sebacic Acid	Decan-1,10-dioic acid Decanedioic acid	111-20-6	3 - < 5

The exact concentrations of the above listed chemicals are being withheld as a trade secret as allowed by 29CFR1910.1200.

4. First-aid measures

Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration. Get medical attention if symptoms persist.
Skin contact	IF ON SKIN: Gently wash with plenty of soap and water. Duration of rinsing should be at least 15 minutes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Duration of rinsing should be at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Ingestion	Do not induce vomiting. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if any discomfort continues.
Most important symptoms/effects, acute and delayed	May cause moderate to severe skin and eye irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Wear suitable protective equipment. Ventilate the contaminated area. Use water spray to cool unopened containers. Move containers from fire area if you can do so without risk. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Carbon oxides. Lithium oxides Hydrocarbons. Sulphur oxides. Phosphorus oxides. Nitrogen oxides (NO _x). Other irritating fumes and smoke.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	--

Methods and materials for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Absorb spill with vermiculite or other inert material. Place in clean, dry and labeled containers. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage**Precautions for safe handling**

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Do not use in areas without adequate ventilation. Water quenching is good practice. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Keep container tightly closed. Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep away from food, drink and animal feedings. Keep out of the reach of children. Use care in handling/storage. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel.

8. Exposure controls/personal protection**Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value	Form
Antimony Dithiocarbamate (CAS 15890-25-2)	PEL	0.5 mg/m ³	
Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)	PEL	5 mg/m ³	Mist.
		2000 mg/m ³	
		500 ppm	
Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7)	PEL	5 mg/m ³	Mist.

US. ACGIH Threshold Limit Values

Components	Type	Value
Antimony Dithiocarbamate (CAS 15890-25-2)	TWA	0.5 mg/m ³

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Antimony Dithiocarbamate (CAS 15890-25-2)	TWA	0.5 mg/m ³	
Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)	STEL	10 mg/m ³	Mist.
	TWA	5 mg/m ³	Mist.
Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7)	STEL	10 mg/m ³	Mist.
	TWA	5 mg/m ³	Mist.

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
Lithium Hydroxide (CAS 1310-66-3)	Ceiling	1.8 mg/m ³

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). A full face shield may also be necessary. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Advice should be sought from glove suppliers.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Advice should be sought from respiratory protection specialists.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Red.
Odor	Mild petroleum odor.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 300 °C (572 °F)
Flash point	> 200.0 °C (392 °F)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 0.01 mm Hg
Vapor density	Heavier than air
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	336 cSt
Other information	
Specific gravity	0.92

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not use in areas without adequate ventilation.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	None known, refer to hazardous combustion products in Section 5.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact May cause moderate to severe skin irritation.

Eye contact May cause moderate to severe eye irritation.

Ingestion May cause discomfort if swallowed.

Most important symptoms/effects, acute and delayed May cause moderate to severe skin and eye irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects

Acute toxicity This product is not classified as an acute toxicity hazard. See below for individual ingredient acute toxicity data.

Components	Species	Test Results
Antimony Dithiocarbamate (CAS 15890-25-2)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 16000 mg/kg
<i>Inhalation</i>		
LC50	Rat	No data in literature
<i>Oral</i>		
LD50	Rat	> 16400 mg/kg
Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 5.23 mg/l, 4 hours Mist
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	4.6 mg/l, 4 Hours (Mist)
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
Lithium Hydroxide (CAS 1310-66-3)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	No Data in Literature

Components	Species	Test Results
<i>Inhalation</i> LC50	Rat	> 3.4 mg/l/4h
Sebacic Acid (CAS 111-20-6)		
Acute		
<i>Dermal</i> LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i> LC50	Rat	> 4.5 mg/l, 4 hours
<i>Oral</i> LD50	Rat	14375 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	May cause moderate to severe skin irritation.
Serious eye damage/eye irritation	May cause moderate to severe eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not expected to be a respiratory sensitizer.
Skin sensitizer	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not classifiable as to carcinogenicity to humans. Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC). The highly refined mineral oils in this product contain <3% (w/w) DMSO-extract, according to IP346

IARC Monographs. Overall Evaluation of Carcinogenicity

Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified as a specific target organ toxicity -single exposure.
Specific target organ toxicity - repeated exposure	Not classified as a specific target organ toxicity -repeated exposure.
Aspiration toxicity	Not expected to be an aspiration hazard.
Chronic effects	Prolonged or repeated overexposure may cause liver and kidney effects.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Components of this product are hazardous to aquatic life.
--------------------	--

Components	Species	Test Results
Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)		
Aquatic		
<i>Acute</i>		
Crustacea	EC50	Water flea (Daphnia magna) > 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours
<i>Chronic</i>		
Algae	NOEL	Green Algae (Pseudokirchneriella subcapitata) > 100 mg/l, 72 hours
Crustacea	NOEC	Water flea (Daphnia magna) 10 mg/l, 21 days

Components	Species		Test Results
Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green Algae (Pseudokirchneriella subcapitata)	1.714 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	7.385 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	1.13 mg/l, 96 hours
<i>Chronic</i>			
Crustacea	NOEC	Water flea (Daphnia magna)	0.163 mg/l, 21 days
Lithium Hydroxide (CAS 1310-66-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	41.62 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	19.1 mg/l, 48 hours
Fish	LC50	Zebra danio (Danio rerio)	90 mg/l, 96 hours
<i>Chronic</i>			
Algae	NOEC	Green algae (Selenastrum capricornutum)	10 mg/l, 72 hours
Crustacea	NOEC	Water flea (Daphnia magna)	2.3 mg/l, 21 days
Sebacic Acid (CAS 111-20-6)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	38.7 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	> 100 mg/l, 48 hours
Fish	LC50	Zebrafish (Brachydanio rerio)	> 100 mg/l, 96 hours
<i>Chronic</i>			
Algae	NOEC	Green algae (Selenastrum capricornutum)	3 mg/l, 72 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	The product itself has not been tested.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code This substance/mixture is not intended to be transported in bulk.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Antimony Dithiocarbamate (CAS 15890-25-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Antimony Dithiocarbamate	15890-25-2	5 - < 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Antimony Dithiocarbamate (CAS 15890-25-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Distillates (petroleum), Hydrotreated Heavy Naphthenic (CAS 64742-52-5)

Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7)

US. New Jersey Worker and Community Right-to-Know Act

Antimony Dithiocarbamate (CAS 15890-25-2)

Lithium Hydroxide (CAS 1310-66-3)

US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7)

US. Rhode Island RTK

Antimony Dithiocarbamate (CAS 15890-25-2)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 01-09-2020

Version # 02

Disclaimer

Klondike cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.