



RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 10/12/2018

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: RV Wash & Wax

Product Code: 715XX

Intended Use of the Product

Cleaner

Name, Address, and Telephone of the Responsible Party

Company

Star brite® Inc.

4041 SW 47th Avenue

Fort Lauderdale, FL 33314

(954) 587-6280

www.starbrite.com

Emergency Telephone Number

Emergency Number : US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS-US/CA Classification

Eye Irrit. 2 H319

Full text of hazard classes and H-statements : see section 16

Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)



GHS07

Signal Word (GHS-US/CA)

: Warning

Hazard Statements (GHS-US/CA)

: H319 - Causes serious eye irritation.

Precautionary Statements (GHS-US/CA)

: P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P280 - Wear protective gloves, protective clothing, and eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Aquatic Acute 3 H402

H402 - Harmful to aquatic life.

P273 - Avoid release to the environment.

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Name | Product Identifier | % * | GHS Ingredient Classification |
|-----------------------|--------------------|-----------|---|
| Sodium lauryl sulfate | (CAS-No.) 151-21-3 | 1.3 - 3.9 | Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 |

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | | |
|---|----------------------|---------------|---|
| | | | Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 3, H412 |
| Ammonium chloride | (CAS-No.) 12125-02-9 | 0.5 - 1.5** | Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Aquatic Acute 3, H402 Comb. Dust |
| Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-(dodecyloxy)-, sodium salt | (CAS-No.) 9004-82-4 | 0.65 - 1.3 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 2, H401 Aquatic Chronic 3, H412 |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts | (CAS-No.) 61789-40-0 | 0.65 - 1.3 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Ethyl alcohol | (CAS-No.) 64-17-5 | 0.13 - 0.65 | Flam. Liq. 2, H225 Eye Irrit. 2A, H319 |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-.omega.-hydroxy- | (CAS-No.) 67674-67-3 | 0.2 - 0.6 | Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| Polytetrafluoroethylene | (CAS-No.) 9002-84-0 | 0.006 - 0.012 | Comb. Dust |

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

** The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Immediately drench affected area with water for at least 15 minutes. Remove contaminated clothing. Obtain medical attention if irritation develops or persists.

Eye Contact: Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions. May react with alkalis to release ammonia. May react with acids to release hydrogen chloride.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides. Hydrogen chloride. Ammonia. Sulfur oxides. Irritating fumes.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Avoid contact with skin, eyes and clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Use appropriate personal protective equipment (PPE).

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash contaminated clothing before reuse.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Alkalis. Nitrates. Aluminium (at high temperatures). Acid chlorides. Acid anhydrides.

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Specific End Use(s)

Cleaner

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

| Ammonium chloride (12125-02-9) | | |
|---------------------------------------|---------------------------------------|--|
| Mexico | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Mexico | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| USA ACGIH | ACGIH TWA (mg/m ³) | 10 mg/m ³ (fume) |
| USA ACGIH | ACGIH STEL (mg/m ³) | 20 mg/m ³ (fume) |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 10 mg/m ³ (fume) |
| USA NIOSH | NIOSH REL (STEL) (mg/m ³) | 20 mg/m ³ (fume) |
| Alberta | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| Alberta | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| British Columbia | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| British Columbia | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Manitoba | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| Manitoba | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| New Brunswick | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| New Brunswick | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Newfoundland & Labrador | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| Newfoundland & Labrador | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Nova Scotia | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| Nova Scotia | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Nunavut | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| Nunavut | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Northwest Territories | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| Northwest Territories | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Ontario | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| Ontario | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Prince Edward Island | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| Prince Edward Island | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Québec | VECD (mg/m ³) | 20 mg/m ³ (fume) |
| Québec | VEMP (mg/m ³) | 10 mg/m ³ (fume) |
| Saskatchewan | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| Saskatchewan | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Yukon | OEL STEL (mg/m ³) | 20 mg/m ³ (fume) |
| Yukon | OEL TWA (mg/m ³) | 10 mg/m ³ (fume) |
| Ethyl alcohol (64-17-5) | | |
| Mexico | OEL TWA (mg/m ³) | 1900 mg/m ³ |
| Mexico | OEL TWA (ppm) | 1000 ppm |
| USA ACGIH | ACGIH STEL (ppm) | 1000 ppm |
| USA ACGIH | ACGIH chemical category | Confirmed Animal Carcinogen with Unknown Relevance to Humans |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 1900 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 1900 mg/m ³ |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 1000 ppm |
| USA IDLH | US IDLH (ppm) | 3300 ppm (10% LEL) |

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | |
|-------------------------|-------------------------------|------------------------|
| Alberta | OEL TWA (mg/m ³) | 1880 mg/m ³ |
| Alberta | OEL TWA (ppm) | 1000 ppm |
| British Columbia | OEL STEL (ppm) | 1000 ppm |
| Manitoba | OEL STEL (ppm) | 1000 ppm |
| New Brunswick | OEL TWA (mg/m ³) | 1880 mg/m ³ |
| New Brunswick | OEL TWA (ppm) | 1000 ppm |
| Newfoundland & Labrador | OEL STEL (ppm) | 1000 ppm |
| Nova Scotia | OEL STEL (ppm) | 1000 ppm |
| Nunavut | OEL STEL (ppm) | 1250 ppm |
| Nunavut | OEL TWA (ppm) | 1000 ppm |
| Northwest Territories | OEL STEL (ppm) | 1250 ppm |
| Northwest Territories | OEL TWA (ppm) | 1000 ppm |
| Ontario | OEL STEL (ppm) | 1000 ppm |
| Prince Edward Island | OEL STEL (ppm) | 1000 ppm |
| Québec | VEMP (mg/m ³) | 1880 mg/m ³ |
| Québec | VEMP (ppm) | 1000 ppm |
| Saskatchewan | OEL STEL (ppm) | 1250 ppm |
| Saskatchewan | OEL TWA (ppm) | 1000 ppm |
| Yukon | OEL STEL (mg/m ³) | 1900 mg/m ³ |
| Yukon | OEL STEL (ppm) | 1000 ppm |
| Yukon | OEL TWA (mg/m ³) | 1900 mg/m ³ |
| Yukon | OEL TWA (ppm) | 1000 ppm |

| | | |
|--|---------------------------|--|
| Polytetrafluoroethylene (9002-84-0) | | |
| Québec | VEMP (mg/m ³) | 2.5 mg/m ³ (decomposition products) |

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental Exposure Controls: Avoid release to the environment.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| | |
|------------------|------------------|
| Physical State | : Liquid |
| Appearance | : Purple |
| Odor | : Characteristic |
| Odor Threshold | : Not available |
| pH | : 6.5 |
| Evaporation Rate | : Not available |
| Melting Point | : Not available |
| Freezing Point | : Not available |

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|---|-----------------------|
| Boiling Point | : 100 °C (212 °F) |
| Flash Point | : > 100 °C (> 212 °F) |
| Auto-ignition Temperature | : Not available |
| Decomposition Temperature | : Not available |
| Flammability (solid, gas) | : Not applicable |
| Lower Flammable Limit | : Not available |
| Upper Flammable Limit | : Not available |
| Vapor Pressure | : Not available |
| Relative Vapor Density at 20°C | : Not available |
| Relative Density | : Not available |
| Specific Gravity | : 1.02 |
| Solubility | : Water: Soluble |
| Partition Coefficient: N-Octanol/Water | : Not available |
| Viscosity | : Not available |

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions. May react with alkalis to release ammonia. May react with acids to release hydrogen chloride.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Alkalis. Nitrates. Aluminium (at high temperatures). Acid chlorides. Acid anhydrides.

Hazardous Decomposition Products: None expected under normal conditions of use. Thermal decomposition generates: Carbon oxides (CO, CO₂). Hydrogen chloride. Ammonia. Irritating fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

pH: 6.5

Eye Damage/Irritation: Causes serious eye irritation.

pH: 6.5

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation. May cause an allergic reaction in sensitive individuals.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Ammonium chloride (12125-02-9)

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|---|---|
| LD50 Oral Rat | 1650 mg/kg |
| Sodium lauryl sulfate (151-21-3) | |
| LD50 Oral Rat | 1288 mg/kg |
| LD50 Dermal Rat | > 2000 mg/kg |
| LC50 Inhalation Rat | > 3900 mg/m ³ (Exposure time: 1 h) |
| Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-(dodecyloxy)-, sodium salt (9004-82-4) | |
| LD50 Oral Rat | 1600 mg/kg |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts (61789-40-0) | |
| LD50 Oral Rat | > 10000 mg/kg |
| LD50 Dermal Rabbit | > 2000 mg/kg |
| Ethyl alcohol (64-17-5) | |
| LD50 Oral Rat | 10470 mg/kg |
| LD50 Dermal Rat | 20 ml/kg |
| LC50 Inhalation Rat | 124.7 mg/l/4h |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-.omega.-hydroxy- (67674-67-3) | |
| ATE US/CA (dust, mist) | 1.50 mg/l/4h |
| Ethyl alcohol (64-17-5) | |
| IARC Group | 1 |
| OSHA Hazard Communication Carcinogen List | In OSHA Hazard Communication Carcinogen list. |
| Polytetrafluoroethylene (9002-84-0) | |
| IARC Group | 3 |

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Harmful to aquatic life.

| | |
|--|---|
| Ammonium chloride (12125-02-9) | |
| LC50 Fish 1 | 209 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static]) |
| EC50 Daphnia 1 | 161 mg/l |
| LC50 Fish 2 | 42.91 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |
| NOEC Chronic Fish | 8 mg/l |
| NOEC Chronic Crustacea | 14.6 mg/l |
| Sodium lauryl sulfate (151-21-3) | |
| LC50 Fish 1 | 8 (8 - 12.5) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| EC50 Daphnia 1 | 1.8 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC50 Fish 2 | 15 (15 - 18.9) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| NOEC Chronic Crustacea | 0.88 mg/l |
| Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-(dodecyloxy)-, sodium salt (9004-82-4) | |
| EC50 Other Aquatic Organisms 1 | 3.12 (2.43 - 4.01) mg/l (Species Ceriodaphnia, exposure time: 48 hr) |
| NOEC Chronic Fish | 20 mg/l 20 - 30 |
| NOEC Chronic Crustacea | 0.3 - 6.3 mg/l |
| NOEC Chronic Algae | 0.35 mg/l 0.35 - 0.9 |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts (61789-40-0) | |
| LC50 Fish 1 | 1 (1 - 10) mg/l (Exposure time: 96 h - Species: Brachydanio rerio) |
| EC50 Daphnia 1 | 6.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 Other Aquatic Organisms 1 | 1 (1 - 10) mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) |
| LC50 Fish 2 | 2 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) |
| ErC50 (algae) | 1.3 mg/l |
| NOEC Chronic Algae | 0.09 mg/l |
| Ethyl alcohol (64-17-5) | |
| LC50 Fish 1 | 11200 mg/l |

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|------------------------|--|
| EC50 Daphnia 1 | 9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC50 Fish 2 | > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| ErC50 (algae) | 1000 mg/l |
| NOEC Chronic Crustacea | 9.6 mg/l |

Persistence and Degradability

| | |
|-------------------------------|------------------|
| Boat Wash & Wax | |
| Persistence and Degradability | Not established. |

Bioaccumulative Potential

| | |
|----------------------------|------------------|
| Boat Wash & Wax | |
| Bioaccumulative Potential | Not established. |

Sodium lauryl sulfate (151-21-3)

| | |
|------------|---------------------------|
| BCF Fish 1 | (will not bioconcentrate) |
| Log Pow | 1.6 |

Ethyl alcohol (64-17-5)

| | |
|---------|-------|
| Log Pow | -0.32 |
|---------|-------|

Mobility in Soil

| | |
|--|-----|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts (61789-40-0) | |
| Log Koc | 2.8 |

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT Not regulated for transport

In Accordance with IMDG Not regulated for transport

In Accordance with IATA Not regulated for transport

In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

| | |
|--|--|
| Boat Wash & Wax | |
| SARA Section 311/312 Hazard Classes | Health hazard - Serious eye damage or eye irritation |
| Ammonium chloride (12125-02-9) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| CERCLA RQ | 5000 lb |
| Sodium lauryl sulfate (151-21-3) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Poly(oxy-1,2-ethanediy), .alpha.-sulfo-.omega.-(dodecyloxy)-, sodium salt (9004-82-4) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under Chemical Data Reporting Rule (formerly the Inventory Update Reporting Rule), i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 711). |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts (61789-40-0) | |

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|---|--|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Ethyl alcohol (64-17-5) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Poly(oxy-1,2-ethanediyl), .alpha.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-.omega.-hydroxy- (67674-67-3) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under Chemical Data Reporting Rule (formerly the Inventory Update Reporting Rule), i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 711). |
| Polytetrafluoroethylene (9002-84-0) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under Chemical Data Reporting Rule (formerly the Inventory Update Reporting Rule), i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 711). |

US State Regulations

| |
|---|
| Ammonium chloride (12125-02-9) |
| U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min) U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr) U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2 U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2 RTK - U.S. - Massachusetts - Right To Know List U.S. - Massachusetts - Toxics Use Reduction Act U.S. - Michigan - Occupational Exposure Limits - STELs U.S. - Michigan - Occupational Exposure Limits - TWAs U.S. - Michigan - Polluting Materials List U.S. - Minnesota - Hazardous Substance List U.S. - Minnesota - Permissible Exposure Limits - STELs U.S. - Minnesota - Permissible Exposure Limits - TWAs U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances RTK - U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New York - Occupational Exposure Limits - TWAs U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour U.S. - Oregon - Permissible Exposure Limits - TWAs RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List RTK - U.S. - Pennsylvania - RTK (Right to Know) List U.S. - South Carolina - Toxic Air Pollutants - Maximum Allowable Concentrations U.S. - South Carolina - Toxic Air Pollutants - Pollutant Categories U.S. - Tennessee - Occupational Exposure Limits - STELs U.S. - Tennessee - Occupational Exposure Limits - TWAs U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term U.S. - Vermont - Permissible Exposure Limits - STELs U.S. - Vermont - Permissible Exposure Limits - TWAs U.S. - Washington - Permissible Exposure Limits - STELs |

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| |
|--|
| U.S. - Washington - Permissible Exposure Limits - TWAs |
| Sodium lauryl sulfate (151-21-3) |
| U.S. - Texas - Effects Screening Levels - Long Term |
| U.S. - Texas - Effects Screening Levels - Short Term |
| Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-(dodecyloxy)-, sodium salt (9004-82-4) |
| U.S. - Texas - Effects Screening Levels - Long Term |
| U.S. - Texas - Effects Screening Levels - Short Term |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts (61789-40-0) |
| U.S. - Texas - Effects Screening Levels - Long Term |
| U.S. - Texas - Effects Screening Levels - Short Term |
| Ethyl alcohol (64-17-5) |
| U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min) |
| U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr) |
| U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations |
| U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) |
| U.S. - Idaho - Occupational Exposure Limits - TWAs |
| U.S. - Illinois - Toxic Air Contaminant Carcinogens |
| U.S. - Maine - Chemicals of High Concern |
| U.S. - Massachusetts - Allowable Ambient Limits (AALs) |
| U.S. - Massachusetts - Allowable Threshold Concentrations (ATCs) |
| U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity |
| RTK - U.S. - Massachusetts - Right To Know List |
| U.S. - Massachusetts - Threshold Effects Exposure Limits (TELEs) |
| U.S. - Michigan - Occupational Exposure Limits - TWAs |
| U.S. - Minnesota - Chemicals of High Concern |
| U.S. - Minnesota - Hazardous Substance List |
| U.S. - Minnesota - Permissible Exposure Limits - TWAs |
| U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour |
| U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual |
| RTK - U.S. - New Jersey - Right to Know Hazardous Substance List |
| U.S. - New Jersey - Special Health Hazards Substances List |
| U.S. - New York - Occupational Exposure Limits - TWAs |
| U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour |
| U.S. - Oregon - Permissible Exposure Limits - TWAs |
| RTK - U.S. - Pennsylvania - RTK (Right to Know) List |
| U.S. - Tennessee - Occupational Exposure Limits - TWAs |
| U.S. - Texas - City of Austin - Aerosol Paint and Glue Restrictions |
| U.S. - Texas - Effects Screening Levels - Long Term |
| U.S. - Texas - Effects Screening Levels - Short Term |
| U.S. - Vermont - Permissible Exposure Limits - TWAs |
| U.S. - Washington - Permissible Exposure Limits - STELs |
| U.S. - Washington - Permissible Exposure Limits - TWAs |
| Polytetrafluoroethylene (9002-84-0) |
| RTK - U.S. - Pennsylvania - RTK (Right to Know) List |
| U.S. - Texas - Effects Screening Levels - Long Term |
| U.S. - Texas - Effects Screening Levels - Short Term |
| Canadian Regulations |
| Ammonium chloride (12125-02-9) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Sodium lauryl sulfate (151-21-3) |
| Listed on the Canadian DSL (Domestic Substances List) |

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-(dodecyloxy)-, sodium salt (9004-82-4)

Listed on the Canadian DSL (Domestic Substances List)

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivatives, hydroxides, inner salts (61789-40-0)

Listed on the Canadian DSL (Domestic Substances List)

Ethyl alcohol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

Poly(oxy-1,2-ethanediyl), .alpha.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]-.omega.-hydroxy- (67674-67-3)

Listed on the Canadian DSL (Domestic Substances List)

Polytetrafluoroethylene (9002-84-0)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 10/12/2018

Revision

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:


| | |
|-------------------------------------|--|
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Acute 2 | Hazardous to the aquatic environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Comb. Dust | Combustible Dust |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation Category 2 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Liq. 2 | Flammable liquids Category 2 |
| Flam. Sol. 2 | Flammable solids Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H225 | Highly flammable liquid and vapor |
| H228 | Flammable solid |
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H400 | Very toxic to aquatic life |
| H401 | Toxic to aquatic life |
| H402 | Harmful to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |

RV Wash & Wax

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

- NFPA Health Hazard** : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
- NFPA Fire Hazard** : 1 - Materials that must be preheated before ignition can occur.
- NFPA Reactivity Hazard** : 0 - Material that in themselves are normally stable, even under fire conditions.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US, Mex)